

JINGWEI

Strapping & Banding Tool Solutions

JW Strapping & Banding Tool Catalog


Manual, Pneumatic, Electric & Semi-Automatic Strapping Machines for Packaging

JINGWEI

Strapping & Banding Tool Solutions

JW Strapping & Banding Tool Catalog


Manual | Pneumatic | Electric | Semi-Automatic | Air Cushion



www.cablecutting.net | XIAMEN JINGWEI TECHNOLOGY CO., LTD.

Product Overview

Complete strapping solutions: PP/PET strap tools, steel strapping machines, semi-automatic box strappers and air cushion packaging machines



JW-BM-01

High-Speed
Inflatable Bubble Air
Pillow Cushion Bag
Machine

Air Cushion
Packaging
Machine



WPM-A333

Manual Steel
Strapping Machine
13-19mm 3000N

Manual Steel
Strapping
Tool



WPM-X201

Semi-Automatic
Box Strapping
Machine 40
Cycles/min

Semi-
Automatic
Box
Strapping
Machine



WPM-L300

Cordless Electric
Strapping Tool for
PP/PET Straps

Cordless
Electric
Strapping
Tool



WPM- A19/A25

Handheld
Pneumatic
Strapping Tool for
PET & PP Bands

Pneumatic
Strapping
Tool

JW-BM-01

High-Speed Inflatable Bubble Air Pillow Cushion Bag Machine



Description

The JW-BM-01 High-Speed Inflatable Air Pillow Cushion Bag Machine produces protective air pillows on demand, eliminating the need for bulky pre-ordered void fill materials. With a high inflation speed of 5 meters per minute, compact desktop design (36x36x21cm), and lightweight portability (5.0KG), it is ideal for e-commerce fulfillment centers, warehouses, retail stores, and ex...

Key Features

- On-demand air cushion production at 5M/min speed for high-volume packaging
- Compact desktop design (36x36x21cm), lightweight 5.0KG for easy placement
- CE & PSE certified; dual voltage 110V/220V; energy-efficient 160W operation

On-Demand Air Cushion Packaging Machine for Void Fill & Protection

Specifications

Model:	JW-BM-01	Dimensions:	36 x 36 x 21 cm
Power:	160W	Voltage:	110V / 200-230V
Inflation Speed:	5 M/min	Certification:	CE, PSE
Weight:	5.0 KG	Applications:	Warehouses, E-commerce, Retail, Express Logistics

WPM-A333

Manual Steel Strapping Machine 13-19mm 3000N



Description

The WPM-A333 Manual Steel Strapping Machine is a robust and portable tool designed for heavy-duty steel strapping applications. Completely manual and button-free operation requires no electricity or pneumatic power, delivering unmatched portability for on-site strapping in manufacturing, metallurgy, transportation, and logistics. The buckle-free design creates a secure interloc...

Key Features

- 3000N maximum tightening force for heavy loads; 80% joint strength, buckle-free sealing
- 100% manual, no power/air required - ultra-portable for on-site use
- Lightweight 3.9kg ergonomic design; handles 13-19mm steel straps, up to 100 packs/hour

Buckle-Free Portable Manual Steel Strip Packing Tool for Heavy-Duty

Specifications

Model:	WPM-A333	Joint Strength:	Approx. 80% of strap strength
Strap Width:	13-16-19 mm	Production Capacity:	100 packages/hour
Strap Thickness:	0.38-0.58 mm	Weight:	3.90 kg
Sealing Type:	Buckle-free (interlocking)	Dimensions:	387 x 162 x 308 mm
Maximum Tension Force:	3000 N		

WPM-X201

Semi-Automatic Box Strapping Machine 40 Cycles/min



Description

The WPM-X201 Semi-Automatic Box Strapping Machine delivers professional carton strapping at 40 cycles per minute, making it ideal for high-throughput warehouses, e-commerce fulfillment, and distribution centers. Designed for PP strapping (10-13mm width, 0.7-1.0mm thickness), it features adjustable tension from 0-45kgs to accommodate both delicate and heavy packages. The mobile ...

Key Features

- High-speed 40 cycles/min for maximum packaging throughput
- Adjustable tension 0-45kgs; PP strap 10-13mm; customizable arch size (800x600mm)
- Mobile wheeled design with high-capacity reel; compact, durable construction

High-Speed Semi-Automatic PP Carton Strapping Machine with Mobile

Specifications

Model:	WPM-X201	Worktable Height:	770 mm
Category:	Semi-Automatic Box Strapping Machine	Arch Size:	W 800 x H 600 mm (customizable)
Power Supply:	1P, 220V/50-60Hz, 0.6kW, 4A	Applicable PP Strap:	Width 10-13mm, Thickness 0.7-1.0mm
Packing Speed:	40 cycles/min	Machine Dimensions:	L1170 x W580 x H1420 mm
Tension Range:	0-45 kgs		

WPM-L300

Cordless Electric Strapping Tool for PP/PET Straps



Description

The WPM-L300 Cordless Electric Strapping Tool revolutionizes portable strapping with lithium battery power and friction welding technology. Delivering 400-4600N adjustable tension force and supporting 13-16mm PET/PP straps (0.6-1.2mm thickness), it creates strong buckle-free seals with approximately 75% adhesive strength. The 14.4V/4.0Ah lithium battery provides extended operat...

Key Features

- Powerful 400-4600N adjustable tension; friction welding for buckle-free seals (75% joint strength)
- Cordless 14.4V/4.0Ah Li-ion battery; 3 modes (manual/semi-auto/auto); 100-min charge
- Lightweight 4.3kg for one-handed use; dust-proof design for harsh environments

Battery-Powered Handheld Friction Welding Strapping Tool 13-16mm,

Specifications

Model:	WPM-L300	Joint Strength:	Approx. 75%
Strap Material:	PET / PP	Battery:	14.4V / 4.0Ah Lithium
Strap Width:	13-16 mm	Charging Time:	100 minutes
Strap Thickness:	0.6-1.2 mm	Charger Input:	100-245VAC, 50-60Hz
Tension Force:	400-4600 N	Tool Weight:	4.3 kg

WPM-A19/A25

Handheld Pneumatic Strapping Tool for PET & PP Bands

PRODUCT PICTURE



Description

The WPM-A19/A25 Handheld Pneumatic Strapping Tool is a powerful all-in-one combination tool integrating tightening, friction welding, and cutting functions for PET and PP straps. Available in two models, A19 (13-19mm straps) and A25 (19-25mm straps), both deliver 3500N tension force at an optimal working air pressure of 0.63MPa. Constructed from superior metal for exceptional d...

Key Features

- All-in-one: tightening + friction welding + cutting in one pneumatic tool
- 3500N tension; two models for 13-19mm (A19) and 19-25mm (A25) PET/PP straps
- Superior metal construction, lightweight 3.8kg; ideal for paper, steel, logistics industries

Specifications

Model:	WPM-A19 / WPM-A25	Air Pressure:	0.5-0.7 MPa
Type:	Handheld Pneumatic Combination Tool	Optimal Working Pressure:	0.63 MPa
Strap Material:	PET / PP	Weight:	3.8 kg
Strap Width:	13-19mm (A19) / 19-25mm (A25)	Package Dimensions:	28 x 16 x 18 cm
Strap Thickness:	0.5-1.5 mm	Applications:	Paper, Textile, Steel, Logistics, Farm, Metal

Contact Us

Request a Quotation

Company

XIAMEN JINGWEI TECHNOLOGY CO., LTD.

Contact

Mr. Kevin, Ms. Donna

WhatsApp / WeChat

+86-18965153335

Tel

+86-0592-8628902

Fax

+86-0592-6065010

Email

sales@cablecutting.net / npsales@126.com

Skype

kevin201166

Website

<https://www.cablecutting.net/>

Address

No.526 Xinglinwan Road, Jimei District, Xiamen, Fujian,
China